L Number	Hits	Search Text	DB	Time stamp
3	453	((test adj (vector vectors data sequence)) (test with pattern)) and (fault faults) and ("d n't care" "don't cares" (unspecified adj (bit bits)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/18 08:25
4	69	((test adj (vector vectors data sequence)) (test with pattern)) and (fault faults) and ("don't care" "don't cares" (unspecified adj (bit bits)))	US-PGPUB	2003/07/18 08:26
5	369	((test adj (vector vectors data sequence)) (test with pattern)) and (fault faults) and ("don't care" "don't cares" (unspecified adj (bit bits)))	USPAT	2003/07/18 08:27
6	186	((test adj (vector vectors data sequence)) (test with pattern)) and (fault faults) and ("don't care" "don't cares" (unspecified adj (bit bits))) and ((fault faults) with (detect detects detected detecting detecter detector))	USPAT	2003/07/18 08:34
7	11	((test adj (vector vectors data sequence)) (test with pattern)) and (fault faults) and ("don't care" "don't cares" (unspecified adj (bit bits))) and ((fault faults) with (detect detects detected detecting detecter detector)) and (((test adj (vector vectors data sequence)) (test with pattern)) with (bit bits) with ("don't care" "don't cares" (unspecified adj (bit bits))))	USPAT	2003/07/18 08:33
8	6	((test adj (vector vectors data sequence)) (test with pattern)) and (fault faults) and ("don't care" "don't cares" (unspecified adj (bit bits))) and ((fault faults) with (detect detects detected detecting detecter detector)) and (((test adj (vector vectors data sequence)) (test with pattern)) with (bit bits) with ("don't care" "don't cares" (unspecified adj (bit bits)))) and (list with (fault faults))	USPAT	2003/07/18 08:37
9	33	((test adj (vector vectors data sequence)) (test with pattern)) and (fault faults) and ("don't care" "don't cares" (unspecified adj (bit bits))) and ((fault faults) with (detect detects detected detecting detecter detector)) and (list with (fault faults))	USPAT	2003/07/18 08:37
-	184425	(generate generating generation generates generater generator generated) with (test pattern)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 17:26
-	335	((generate generating generation generates generater generator generated) with (test pattern)) and (((list lists) with (faults fault)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 12:02
-	253	(((generate generating generation generates generater generator generated) with (test pattern)) and (((list lists) with (faults fault)))) and test with (set sets subset subsets sequences sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 17:29
-	25864	((generate generating generati n generates generater generator generated) with (test pattern)) and test with (set sets subset subsets sequences sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 11:17

-	88563	((generate generating generation generates generater generator generated) with (test pattern)) and ((generate generating generation generates generater generat r generated) with (test pattern).ab. (generate generating generati n generates generater generator generated) with (test pattern).ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 11:18
-	4718	(((generate generating generation generates generater generator generated) with (test pattern)) and ((generate generating generation generates generater generator generated) with (test pattern).ab. (generate generating generation generates generater generator generated) with (test pattern).ti.)) and ((test with (set sets subset subsets sequences sequence)).ab. (test with (set sets subset subsets sequences sequence)).ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 11:23
-	447	((((generate generating generation generates generater generator generated) with (test pattern)) and ((generate generating generation generates generater generator generated) with (test pattern).ab. (generate generating generation generates generater generator generated) with (test pattern).ti.)) and ((test with (set sets subset subsets sequences sequence)).ab. (test with (set sets subset subsets sequences sequence)).ti.)) and ((faults fault).ti. (faults fault).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 11:41
-	661	((((generate generating generation generates generater generator generated) with (test pattern)) and (((list lists) with (faults fault)))) and test with (set sets subset subsets sequences sequence)) (((((generate generating generation generates generater generator generated) with (test pattern)) and ((generate generating generation generates generater generator generated) with (test pattern).ab. (generate generating generation generates generater generator generated) with (test pattern).ti.)) and ((test with (set sets subset subsets sequences sequence)).ab. (test with (set sets subset subsets sequences sequence)).ti.)) and ((faults fault).ti. (faults fault).ab.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 11:48
-	2	4204633.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 11:48
-	1949	((generate generating generation generates generater generator generated) with (test pattern)) and (((list list set sets dictionary dictionaries file files database databases) with (faults fault)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 17:25

-	162	(((((generate generating generati n generates generater generator generated) with (test pattern)) and ((generate generating generati n generates generater generator generated) with (test pattern).ab. (generate generating generati n generates generater generator generated) with (test pattern).ti.)) and ((test with (set sets subset subsets sequences sequence)).ab. (test with (set sets subset subsets sequences sequence)).ti.)) and ((faults fault).ti. (faults fault).ab.)) and (((list list set sets dictionary dictionaries file files database databases) with (faults fault)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 12:09
-	136	(((((generate generating generation generates generater generator generated) with (test pattern)) and ((generate generating generation generates generater generator generated) with (test pattern).ab. (generate generating generation generates generater generator generated) with (test pattern).ti.)) and ((test with (set sets subset subsets sequences sequence)).ab. (test with (set sets subset subsets sequences sequence)).ti.)) and ((faults fault).ti. (faults fault).ab.)) and (((list list set sets dictionary dictionaries file files database databases) with (faults fault)).ab. ((list list set sets dictionary dictionaries file files database databases) with (faults fault)).ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 12:09
-	26	((((((generate generating generation generates generater generator generated) with (test pattern)) and ((generate generating generation generates generater generator generated) with (test pattern).ab. (generate generating generation generates generater generator generated) with (test pattern).ti.)) and ((test with (set sets subset subsets sequences sequence)).ab. (test with (set sets subset subsets sequences sequence)).ti.)) and ((faults fault).ti. (faults fault).ab.)) and (((list list set sets dictionary dictionaries file files database databases) with (faults fault)))) not ((((((generate generating generation generates generater generator generated) with (test pattern)) and ((generate generating generation generates generater generator generated) with (test pattern).ab. (generate generating generation generates generater generator generated) with (test pattern).ti.)) and ((test with (set sets subset subsets sequences sequence)).ab. (test with (set sets subset subsets sequences sequence)).ti.)) and ((faults fault).ti. (faults fault).ab.)) and (((list list set sets dictionary dictionaries file files database databases) with (faults fault)).ab. ((list list set sets dictionary dictionaries file files database databases) with (faults fault)).ti.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 12:06

-		162	((((((generate generating generati n generates generater generator generated) with (test pattern)) and ((generate generating generati n generates generater generator generated) with (test pattern).ab. (generate generating generation generates generater generator generated) with (test pattern).ti.)) and ((test with (set sets subset subsets sequences sequence)).ab. (test with (set sets subset subsets sequences sequence)).ti.)) and ((faults fault).ti. (faults fault).ab.)) and (((list list set sets dictionary dictionaries file files database databases) with (faults fault)))) and (fault faults faulty)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 12:09
-		136	(((((((generate generating generation generates generater generator generated) with (test pattern)) and ((generate generating generation generates generater generator generated) with (test pattern).ab. (generate generating generation generates generater generator generated) with (test pattern).ti.)) and ((test with (set sets subset subsets sequences sequence)).ab. (test with (set sets subset subsets sequences sequence)).ti.)) and ((faults fault).ti. (faults fault).ab.)) and (((list list set sets dictionary dictionaries file files database databases) with (faults fault)))) and (fault faults faulty)) and (((list list set sets dictionary dictionaries file files database databases) with (faults fault)).ab. ((list list set sets dictionary dictionaries file files database databases) with (faults fault)).ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 12:10
-		26	(((((((generate generating generation generates generater generator generated) with (test pattern)) and ((generate generating generation generates generater generator generated) with (test pattern).ab. (generate generating generation generates generater generator generated) with (test pattern).ti.)) and ((test with (set sets subset subsets sequences sequence)).ab. (test with (set sets subset subsets sequences sequence)).ti.)) and ((faults fault).ti. (faults fault).ab.)) and (((list list set sets dictionary dictionaries file files database databases) with (faults fault)))) and (fault faults faulty)) not ((((((((generate generating generation generates generater generator generated) with (test pattern)) and ((generate generating generation generates generater generator generated) with (test pattern).ab. (generate generating generation generates generater generator generated) with (test pattern).ti.)) and ((test with (set sets subset subsets sequences sequence)).ab. (test with (set sets subset subsets sequences sequence)).ti.)) and ((faults fault).ti. (faults fault).ab.)) and (((list list set sets dictionary dictionaries file files database databases) with (faults fault)))) and (fault faults faulty)) and (((list list set sets dictionary dictionaries file files database databases) with (faults fault)).ab. ((list list set sets dictionary dictionaries file files database databases) with (faults fault)).ti.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 12:10

•	1399	(generate generating generati n generates generater generator generated) with (test pattern) and "don't" adj care	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 17:27
•	731	((generate generating generation generates generater generator generated) with (test pattern) and "don't" adj care) and test with (set sets subset subsets sequences sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 17:31
•	19	(((generate generating generation generates generater generator generated) with (test pattern) and "don't" adj care) and test with (set sets subset subsets sequences sequence)) and test with (set sets subset subsets sequences sequence) same (compaction compact compacted compacting compacts)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 17:34
•	15	((((generate generating generation generates generater generator generated) with (test pattern) and "don't" adj care) and test with (set sets subset subsets sequences sequence)) and test with (set sets subset subsets sequences sequence) same (compaction compact compacted compacting compacts)) and (fault faults faulty) with (list list set sets dictionary dictionaries file files database databases)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 17:52
•	15	(((((generate generating generation generates generater generator generated) with (test pattern) and "don't" adj care) and test with (set sets subset subsets sequences sequence)) and test with (set sets subset subsets sequences sequence) same (compaction compact compacted compacting compacts)) and (fault faults faulty) with (list list set sets dictionary dictionaries file files database databases)) and (fault faults faulty) and (list list set sets dictionary dictionaries file files database databases) and test and (set sets subset subsets sequences sequence) and (compaction compact compacted compacting compacts) and "don't" adj care	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 17:36
•	5	((((((generate generating generation generates generater generator generated) with (test pattern) and "don't" adj care) and test with (set sets subset subsets sequences sequence)) and test with (set sets subset subsets sequences sequence) same (compaction compact compacted compacting compacts)) and (fault faults faulty) with (list list set sets dictionary dictionaries file files database databases)) and (fault faults faulty) and (list list set sets dictionary dictionaries file files database databases) and test and (set sets subset subsets sequences sequence) and (compaction compact compacted compacting compacts) and "don't" adj care) and (fault faults faulty) near (list list set sets dicti nary dictionaries file files database databases)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 18:02

-		6	((((((generate generating generati n generates generater generator generated) with (test pattern) and "d n't" adj care) and test with (set sets subset subsets sequences sequence)) and test with (set sets subset subsets sequences sequence) same (compaction compact compacted compacting compacts)) and (fault faults faulty) with (list list set sets dictionary dictionaries file files database databases)) and (fault faults faulty) and (list list set sets dictionary dictionaries file files database databases) and test and (set sets subset subsets sequences sequence) and (compaction compact compacted compacting compacts) and "don't" adj care) and (((fault faults faulty) near (list list set sets dictionary dictionaries file files database databases)) NETLIST)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 18:03
-		1	((((((generate generating generation generates generater generator generated) with (test pattern) and "don't" adj care) and test with (set sets subset subsets sequences sequence)) and test with (set sets subset subsets sequences sequence) same (compaction compact compacted compacting compacts)) and (fault faults faulty) with (list list set sets dictionary dictionaries file files database databases)) and (fault faults faulty) and (list list set sets dictionary dictionaries file files database databases) and test and (set sets subset subsets sequences sequence) and (compaction compact compacted compacting compacts) and "don't" adj care) and (((fault faults faulty) near (list list set sets dictionary dictionaries file files database databases)) NETLIST)) not ((((((generate generating generation generates generater generator generated) with (test pattern) and "don't" adj care) and test with (set sets subset subsets sequences sequence)) and test with (set sets subset subsets sequences sequence) same (compaction compact compacted compacting compacts)) and (fault faults faulty) with (list list set sets dictionary dictionaries file files database databases)) and (fault faults faulty) and (list list set sets dictionary dictionaries file files database databases) and test and (set sets subset subsets sequences sequence) and (compaction compact compacted compacting compacts) and "don't" adj care) and (fault faults faulty) near (list list set sets dictionary dictionaries file files database databases))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02 18:03
-		1	"4991176".PN.	USPAT	2002/12/03 15:57
-		1	"5418793".PN.	USPAT	2002/12/03 15:58
-		1	"5444717".PN.	USPAT	2002/12/03 15:58
-		1	"5485613".PN.	USPAT	2002/12/03 15:59
-		1	"5499248".PN.	USPAT	2002/12/03 16:00
-		1	"5517506".PN.	USPAT	2002/12/03 16:03
-		1	"5617427".PN.	USPAT	2002/12/03 16:04

-		1	"5696772".PN.	USPAT	2002/12/03 17:17
-		1	"5726996".PN.	USPAT	2002/12/03 17:17
-		53	test adj (vector vectors sequence sequences) same ("don't care" "don't cares")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/04 11:42
-		1	"5864838".PN.	USPAT	2002/12/03 17:19
-		1	"5905986".PN.	USPAT	2002/12/03 17:20
-		9	(US-5377197-$ or US-5305328-$ or US-5617427-$ or US-6253343-$ or US-5410552-$ or US-5991898-$ or US-6061818-$ or US-6067651-$).did. or (NN72012510).tban.	USPAT; IBM_TDB	2002/12/03 17:50
-		6	((US-5377197-$ or US-5305328-$ or US-5617427-$ or US-6253343-$ or US-5410552-$ or US-5991898-$ or US-6061818-$ or US-6067651-$).did. or (NN72012510).tban.) and list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 17:50
-		56	test adj (vector vectors sequence sequences) same ("don't care" "don't cares" (unspecified adj (bit bits)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/04 11:46
-		21	(test adj (vector vectors sequence sequences) same ("don't care" "don't cares" (unspecified adj (bit bits)))) and ("don't care" "don't cares" (unspecified adj (bit bits))) with (random arbitrary arbitrarily set sets setting fill filling fills filled)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/04 11:46
-		21	((test adj (vector vectors sequence sequences) same ("don't care" "don't cares" (unspecified adj (bit bits)))) and ("don't care" "don't cares" (unspecified adj (bit bits))) with (random arbitrary arbitrarily set sets setting fill filling fills filled)) and test adj (vector vectors sequence sequences) and ("don't care" "don't cares" (unspecified adj (bit bits)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/04 11:46
-		21	(((test adj (vector vectors sequence sequences) same ("don't care" "don't cares" (unspecified adj (bit bits)))) and ("don't care" "don't cares" (unspecified adj (bit bits))) with (random arbitrary arbitrarily set sets setting fill filling fills filled)) and test adj (vector vectors sequence sequences) and ("don't care" "don't cares" (unspecified adj (bit bits)))) and ("don't care" "don't cares" (unspecified adj (bit bits))) and (random arbitrary arbitrarily set sets setting fill filling fills filled)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/04 11:47

C:\DOCS\EAST\workspaces\Testing\Test Patterns and Pattern Generati n\09589338.wsp

		11	("6449743" "6327687" "6067651" "6061818" "5726996" "5485471" "5377197" "5410552" "6237117" "6253343" "5305328").pn.	USPAT	2002/12/04 17:39